



National  
Security  
Agency



Cybersecurity &  
Infrastructure  
Security  
Agency



Federal  
Bureau of  
Investigation

**TLP:WHITE**  
Cybersecurity Advisory

# Top CVEs Actively Exploited By People's Republic of China State-Sponsored Cyber Actors

---

## Summary

This joint Cybersecurity Advisory (CSA) provides the top Common Vulnerabilities and Exposures (CVEs) used since 2020 by People's Republic of China (PRC) state-sponsored cyber actors as assessed by the National Security Agency (NSA), Cybersecurity and Infrastructure Security Agency (CISA), and Federal Bureau of Investigation (FBI). PRC state-sponsored cyber actors continue to exploit known vulnerabilities to actively target U.S. and allied networks as well as software and hardware companies to steal intellectual property and develop access into sensitive networks.

This joint CSA builds on previous NSA, CISA, and FBI reporting to inform federal and state, local, tribal and territorial (SLTT) government; critical infrastructure, including the Defense Industrial Base Sector; and private sector organizations about notable trends and persistent tactics, techniques, and procedures (TTPs).

NSA, CISA, and FBI urge U.S. and allied governments, critical infrastructure, and private sector organizations to apply the recommendations listed in the [Mitigations](#) section and [Appendix A](#) to increase their defensive posture and reduce the threat of compromise from PRC state-sponsored malicious cyber actors.

For more information on PRC state-sponsored malicious cyber activity, see CISA's [China Cyber Threat Overview and Advisories](#) webpage, FBI's [Industry Alerts](#), and NSA's [Cybersecurity Advisories & Guidance](#).

---

This document is marked TLP:WHITE. Disclosure is not limited. Sources may use TLP:WHITE when information carries minimal or no foreseeable risk of misuse, in accordance with applicable rules and procedures for public release. Subject to standard copyright rules, TLP:WHITE information may be distributed without restriction. For more information on the Traffic Light Protocol, see [cisa.gov/tlp/](https://cisa.gov/tlp/).

## Technical details

NSA, CISA, and FBI continue to assess PRC state-sponsored cyber activities as being one of the largest and most dynamic threats to U.S. government and civilian networks. PRC state-sponsored cyber actors continue to target government and critical infrastructure networks with an increasing array of new and adaptive techniques—some of which pose a significant risk to Information Technology Sector organizations (including telecommunications providers), Defense Industrial Base (DIB) Sector organizations, and other critical infrastructure organizations.

PRC state-sponsored cyber actors continue to exploit known vulnerabilities and use publicly available tools to target networks of interest. NSA, CISA, and FBI assess PRC state-sponsored cyber actors have actively targeted U.S. and allied networks as well as software and hardware companies to steal intellectual property and develop access into sensitive networks. See Table 1 for the top used CVEs.

*Table 1: Top CVEs most used by Chinese state-sponsored cyber actors since 2020*

Vendor	CVE	Vulnerability Type
Apache Log4j	CVE-2021-44228	Remote Code Execution
Pulse Connect Secure	CVE-2019-11510	Arbitrary File Read
GitLab CE/EE	CVE-2021-22205	Remote Code Execution
Atlassian	CVE-2022-26134	Remote Code Execution
Microsoft Exchange	CVE-2021-26855	Remote Code Execution
F5 Big-IP	CVE-2020-5902	Remote Code Execution
VMware vCenter Server	CVE-2021-22005	Arbitrary File Upload
Citrix ADC	CVE-2019-19781	Path Traversal
Cisco Hyperflex	CVE-2021-1497	Command Line Execution
Buffalo WSR	CVE-2021-20090	Relative Path Traversal
Atlassian Confluence Server and Data Center	CVE-2021-26084	Remote Code Execution
Hikvision Webserver	CVE-2021-36260	Command Injection
Sitecore XP	CVE-2021-42237	Remote Code Execution
F5 Big-IP	CVE-2022-1388	Remote Code Execution
Apache	CVE-2022-24112	Authentication Bypass by Spoofing
ZOHO	CVE-2021-40539	Remote Code Execution
Microsoft	CVE-2021-26857	Remote Code Execution
Microsoft	CVE-2021-26858	Remote Code Execution
Microsoft	CVE-2021-27065	Remote Code Execution

Apache HTTP Server	CVE-2021-41773	Path Traversal
--------------------	----------------	----------------

These state-sponsored actors continue to use virtual private networks (VPNs) to obfuscate their activities and target web-facing applications to establish initial access. Many of the CVEs indicated in Table 1 allow the actors to surreptitiously gain unauthorized access into sensitive networks, after which they seek to establish persistence and move laterally to other internally connected networks. For additional information on PRC state-sponsored cyber actors targeting network devices, please see [People's Republic of China State-Sponsored Cyber Actors Exploit Network Providers and Devices](#).

## Mitigations

NSA, CISA, and FBI urge organizations to apply the recommendations below and those listed in [Appendix A](#).

- Update and patch systems as soon as possible. Prioritize patching vulnerabilities identified in this CSA and other [known exploited vulnerabilities](#).
- Utilize phishing-resistant multi-factor authentication whenever possible. Require all accounts with password logins to have strong, unique passwords, and change passwords immediately if there are indications that a password may have been compromised.
- Block obsolete or unused protocols at the network edge.
- Upgrade or replace end-of-life devices.
- Move toward the Zero Trust security model.
- Enable robust logging of Internet-facing systems and monitor the logs for anomalous activity.

## Resources

- [CSA: Chinese State-Sponsored Actors Exploit Publicly Known Vulnerabilities](#)
- [CSA: Chinese State Sponsored Cyber TTPs](#)
- [CSA: People's Republic of China State-Sponsored Cyber Actors Exploit Network Providers and Devices](#)

## Works cited

- [1] Microsoft (2021), Guidance for preventing, detecting, and hunting for exploitation of the Log4j 2 vulnerability. <https://www.microsoft.com/security/blog/2021/12/11/guidance-for-preventing-detecting-and-hunting-for-cve-2021-44228-log4j-2-exploitation/>
- [2] National Vulnerability Database (2022), CVE-2021-44228 Detail. <https://nvd.nist.gov/vuln/detail/CVE-2021-44228>
- [3] Pulse Secure (2019), SA44101 - 2019-04: Out-of-Cycle Advisory: Multiple vulnerabilities resolved in Pulse Connect Secure / Pulse Policy Secure 9.0RX. [https://kb.pulsesecure.net/articles/Pulse\\_Security\\_Advisories/SA44101/?kA23Z000000KBro](https://kb.pulsesecure.net/articles/Pulse_Security_Advisories/SA44101/?kA23Z000000KBro)
- [4] GitLab (2021), RCE when removing metadata with ExifTool. <https://gitlab.com/gitlab-org/gitlab/-/issues/327121>
- [5] National Vulnerability Database (2022), CVE-2022-26134 Detail. <https://nvd.nist.gov/vuln/detail/CVE-2022-26134>
- [6] Microsoft (2021), HAFNIUM targeting Exchange Servers with 0-day exploits. <https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/#scan-log>
- [7] F5 (2021), K52145254: TMUI RCE vulnerability CVE-2020-5902. <https://support.f5.com/csp/article/K52145254>
- [8] VMware (2021), VMSA-2021-0020.1. <https://www.vmware.com/security/advisories/VMSA-2021-0020.html>
- [9] Citrix (2021), Mitigation Steps for CVE-2019-19781. <https://support.citrix.com/article/CTX267679/mitigation-steps-for-cve201919781>
- [10] Cisco (2021), Cisco HyperFlex HX Command Injection Vulnerabilities. <https://tools.cisco.com/security/center/content/CiscoSecurityAdvisory/cisco-sa-hyperflex-rce-TjjNrkpR>
- [11] National Vulnerability Database (2022), CVE-2021-20090 Detail. <https://nvd.nist.gov/vuln/detail/cve-2021-20090>
- [12] National Vulnerability Database (2022), CVE-2021-26084 Detail. <https://nvd.nist.gov/vuln/detail/CVE-2021-26084>
- [13] Cybersecurity and Infrastructure Security Agency (2021), RCE Vulnerability in Hikvision Cameras (CVE-2021-36260). <https://www.cisa.gov/uscert/ncas/current-activity/2021/09/28/rce-vulnerability-hikvision-cameras-cve-2021-36260>
- [14] National Vulnerability Database (2022), CVE-2021-42237 Detail. <https://nvd.nist.gov/vuln/detail/CVE-2021-42237>
- [15] F5 (2022), Final - K23605346: BIG-IP iControl REST vulnerability CVE-2022-1388. <https://support.f5.com/csp/article/K23605346>

- [16] Apache (2022), CVE-2022-24112: Apache APISIX: apisix/batch-requests plugin allows overwriting the X-REAL-IP header.  
<https://lists.apache.org/thread/lcdqy wz8zy94mdysk7p3gfdgn51jmt94>
- [17] ManageEngine (2021), Security advisory - ADSelfService Plus authentication bypass vulnerability. <https://www.manageengine.com/products/self-service-password/advisory/CVE-2021-40539.html>
- [18] Cybersecurity and Infrastructure Security Agency (2021), Mitigating Log4Shell and Other Log4j-Related Vulnerabilities. <https://www.cisa.gov/uscert/ncas/alerts/aa21-356a>
- [19] Microsoft GitHub (2022), CSS-Exchange/Security/. <https://github.com/microsoft/CSS-Exchange/tree/main/Security>
- [20] Microsoft (2021), HAFNIUM targeting Exchange Servers with 0-day exploits.  
<https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/#scan-log>
- [21] National Vulnerability Database (2022), CVE-2021-41773 Detail.  
<https://nvd.nist.gov/vuln/detail/CVE-2021-41773>

## Contact

NSA Client Requirements / General Cybersecurity Inquiries: [CybersecurityReports@nsa.gov](mailto:CybersecurityReports@nsa.gov)

Defense Industrial Base Inquiries and Cybersecurity Services: [DIB\\_Defense@cyber.nsa.gov](mailto:DIB_Defense@cyber.nsa.gov)

To report incidents and anomalous activity related to information found in this Joint Cybersecurity Advisory, contact CISA's 24/7 Operations Center at [Report@cisa.gov](mailto:Report@cisa.gov) or (888) 282-0870 or your local FBI field office at [www.fbi.gov/contact-us/field](http://www.fbi.gov/contact-us/field). When available, please include the following information regarding the incident: date, time, and location of the incident; type of activity; number of people affected; type of equipment used for the activity; the name of the submitting company or organization; and a designated point of contact.

Media Inquiries / Press Desk:

- NSA Media Relations, 443-634-0721, [MediaRelations@nsa.gov](mailto:MediaRelations@nsa.gov)
- CISA Media Relations, 703-235-2010, [CISAMedia@cisa.dhs.gov](mailto:CISAMedia@cisa.dhs.gov)

## Disclaimer of endorsement

The information and opinions contained in this document are provided "as is" and without any warranties or guarantees. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise does not constitute or imply its endorsement, recommendation, or favoring by the United States Government; this guidance shall not be used for advertising or product endorsement purposes.

## Trademark recognition

Active Directory, Microsoft® Exchange, Office 365, Office, Outlook, OWA, Powershell, Windows, and Windows NT® are registered trademarks of Microsoft Corporation. • Apache® and Apache Log4j are trademark of Apache Software Foundation. • Pulse Connect Secure is a registered trademark of Ivanti. • GitLab is a registered trademark of the GitLab Inc. • Atlassian, and Atlassian Confluence Server/Data center are a registered trademark of Atlassian

**TLP:WHITE**

Corporation PLC. • F5 Big-IP is a registered trademark of F5 Inc. • VMWar4 VCenter, VMWare NSX and VM are registered trademark of VMware, Inc. • Citrix® ADC is a registered trademark of Citrix Systems, Inc. • Cisco® Hyperflex is a registered trademark of Cisco Systems, Inc. • Hikvision is a registered trademark of Hikvision Digital Technology Co. Ltd. • Sitecore XP is a trademark of Sitecore USA, Inc.

## ***Purpose***

This advisory was developed by NSA, CISA, and FBI in furtherance of their respective cybersecurity missions, including their responsibilities to develop and issue cybersecurity specifications and mitigations. This information may be shared broadly to reach all appropriate stakeholders.

**TLP:WHITE**

## Appendix A

Table II: Apache CVE-2021-44228

Apache CVE-2021-44228 CVSS 3.0: 10 (Critical)
<p><b><u>Vulnerability Description</u></b>            Apache Log4j2 2.0-beta9 through 2.15.0 (excluding security releases 2.12.2, 2.12.3, and 2.3.1) JNDI features used in configuration, log messages, and parameters do not protect against malicious actor controlled LDAP and other JNDI related endpoints. A malicious actor who can control log messages or log message parameters could execute arbitrary code loaded from LDAP servers when message lookup substitution is enabled. From log4j 2.15.0, this behavior has been disabled by default. From version 2.16.0 (along with 2.12.2, 2.12.3, and 2.3.1), this functionality has been completely removed. Note that this vulnerability is specific to log4j-core and does not affect log4net, log4cxx, or other Apache Logging Services projects.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>Apply patches provided by vendor and perform required system updates.</li> </ul>
<p><b><u>Detection Methods</u></b></p> <ul style="list-style-type: none"> <li>See vendor's <a href="#">Guidance For Preventing, Detecting, and Hunting for Exploitation of the Log4j 2 Vulnerability</a>.</li> </ul>
<p><b><u>Vulnerable Technologies and Versions</u></b>            There are numerous vulnerable technologies and versions associated with CVE-2021-44228. For a full list, check <a href="https://nvd.nist.gov/vuln/detail/CVE-2021-44228">https://nvd.nist.gov/vuln/detail/CVE-2021-44228</a>.</p>

Table III: Pulse CVE-2019-11510

Pulse CVE-2019-11510 CVSS 3.0: 10 (Critical)
<p><b><u>Vulnerability Description</u></b>  <b>This vulnerability has been modified since it was last analyzed by NVD. It is awaiting reanalysis, which may result in further changes to the information provided.</b> In Pulse Secure Pulse Connect Secure (PCS) 8.2 before 8.2R12.1, 8.3 before 8.3R7.1, and 9.0 before 9.0R3.4, an unauthenticated remote malicious actor could send a specially crafted URI to perform an arbitrary file reading vulnerability.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>Apply patches provided by vendor and perform required system updates.</li> </ul>
<p><b><u>Detection Methods</u></b></p> <ul style="list-style-type: none"> <li>Use CISA's "Check Your Pulse" Tool.</li> </ul>
<p><b><u>Vulnerable Technologies and Versions</u></b>            Pulse Connect Secure (PCS) 8.2 before 8.2R12.1, 8.3 before 8.3R7.1, and 9.0 before 9.0R3.4</p>

Table IV: GitLab CVE-2021-22205

GitLab CVE-2021-22205 CVSS 3.0: 10 (Critical)
<p><b><u>Vulnerability Description</u></b>            An issue has been discovered in GitLab CE/EE affecting all versions starting from 11.9. GitLab was not properly validating image files passed to a file parser, which resulted in a remote command execution.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>Update to 12.10.3, 13.9.6, and 13.8.8 for GitLab.</li> <li>Hotpatch is available via GitLab.</li> </ul>
<p><b><u>Detection Methods</u></b></p> <ul style="list-style-type: none"> <li>Investigate logfiles.</li> </ul>

TLP:WHITE

<ul style="list-style-type: none"> <li>• Check GitLab Workhorse.</li> </ul>
<b><u>Vulnerable Technologies and Versions</u></b> Gitlab CE/EE.

Table V: Atlassian CVE-2022-26134

<b>Atlassian CVE-2022-26134 CVSS 3.0: 9.8 (Critical)</b>
<b><u>Vulnerability Description</u></b> In affected versions of Confluence Server and Data Center, an OGNL injection vulnerability exists that could allow an unauthenticated malicious actor to execute arbitrary code on a Confluence Server or Data Center instance. The affected versions are from 1.3.0 before 7.4.17, 7.13.0 before 7.13.7, 7.14.0 before 7.14.3, 7.15.0 before 7.15.2, 7.16.0 before 7.16.4, 7.17.0 before 7.17.4, and 7.18.0 before 7.18.1.
<b><u>Recommended Mitigations</u></b> <ul style="list-style-type: none"> <li>• Immediately block all Internet traffic to and from affected products AND apply the update per vendor instructions.</li> <li>• Ensure Internet-facing servers are up-to-date and have secure compliance practices.</li> <li>• Short term workaround is provided <a href="#">here</a>.</li> </ul>
<b><u>Detection Methods</u></b> N/A
<b><u>Vulnerable Technologies and Versions</u></b> All supported versions of Confluence Server and Data Center Confluence Server and Data Center versions after 1.3.0

Table VI: Microsoft CVE-2021-26855

<b>Microsoft CVE-2021-26855</b>	<b>CVSS 3.0: 9.8 (Critical)</b>
<b><u>Vulnerability Description</u></b> Microsoft has released security updates for Windows Exchange Server. To exploit these vulnerabilities, an authenticated malicious actor could send malicious requests to an affected server. A malicious actor who successfully exploited these vulnerabilities would execute arbitrary code and compromise the affected systems. If successfully exploited, these vulnerabilities could allow an adversary to obtain access to sensitive information, bypass security restrictions, cause a denial of service conditions, and/or perform unauthorized actions on the affected Exchange server, which could aid in further malicious activity.	
<b><u>Recommended Mitigations</u></b> <ul style="list-style-type: none"> <li>• Apply the appropriate Microsoft Security Update.</li> <li>• Microsoft Exchange Server 2013 Cumulative Update 23 (KB5000871)</li> <li>• Microsoft Exchange Server 2016 Cumulative Update 18 (KB5000871)</li> <li>• Microsoft Exchange Server 2016 Cumulative Update 19 (KB5000871)</li> <li>• Microsoft Exchange Server 2019 Cumulative Update 7 (KB5000871)</li> <li>• Microsoft Exchange Server 2019 Cumulative Update 8 (KB5000871)</li> <li>• Restrict untrusted connections.</li> </ul>	
<b><u>Detection Methods</u></b> <ul style="list-style-type: none"> <li>• Analyze Exchange product logs for evidence of exploitation.</li> <li>• Scan for known webshells.</li> </ul>	
<b><u>Vulnerable Technologies and Versions</u></b> Microsoft Exchange 2013, 2016, and 2019.	

TLP:WHITE



Table VII: F5 CVE-2020-5902

<b>F5 CVE-2020-5902 CVSS 3.0: 9.8 (Critical)</b>
<p><b><u>Vulnerability Description</u></b>            In BIG-IP versions 15.0.0-15.1.0.3, 14.1.0-14.1.2.5, 13.1.0-13.1.3.3, 12.1.0-12.1.5.1, and 11.6.1-11.6.5.1, the Traffic Management User Interface (TMUI), also referred to as the Configuration utility, has a Remote Code Execution (RCE) vulnerability in undisclosed pages.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>• Apply FY BIG-IP Update.</li> <li>• Restrict access to the configuration utility.</li> </ul>
<p><b><u>Detection Methods</u></b></p> <ul style="list-style-type: none"> <li>• Use F5's <a href="#">CVE-2020-5902 IoC Detection Tool</a>.</li> <li>• Additional detection methods can be found at <a href="https://support.f5.com/csp/article/K52145254">https://support.f5.com/csp/article/K52145254</a>.</li> </ul>
<p><b><u>Vulnerable Technologies and Versions</u></b>            F5 Big-IP Access Policy Manager            F5 Big-IP Advanced Firewall Manager            F5 Big-IP Advanced Web Application Firewall            F5 Big-IP Analytics            F5 Big-IP Application Acceleration Manager            F5 Big-IP Application Security Manager            F5 Big-IP Ddos Hybrid Defender            F5 Big-IP Domain Name System (DNS)            F5 Big-IP Fraud Protection Service (FPS)            F5 Big-IP Global Traffic Manager (GTM)            F5 Big-IP Link Controller            F5 Networks Big-IP Local Traffic Manager (LTM)            F5 Big-IP Policy Enforcement Manager (PEM)            F5 SSL Orchestrator</p>
<p><b><u>References</u></b>  <a href="https://support.f5.com/csp/article/K00091341">https://support.f5.com/csp/article/K00091341</a>  <a href="https://support.f5.com/csp/article/K07051153">https://support.f5.com/csp/article/K07051153</a>  <a href="https://support.f5.com/csp/article/K20346072">https://support.f5.com/csp/article/K20346072</a>  <a href="https://support.f5.com/csp/article/K31301245">https://support.f5.com/csp/article/K31301245</a>  <a href="https://support.f5.com/csp/article/K33023560">https://support.f5.com/csp/article/K33023560</a>  <a href="https://support.f5.com/csp/article/K43638305">https://support.f5.com/csp/article/K43638305</a>  <a href="https://support.f5.com/csp/article/K52145254">https://support.f5.com/csp/article/K52145254</a>  <a href="https://support.f5.com/csp/article/K82518062">https://support.f5.com/csp/article/K82518062</a></p>

Table VIII: VMware CVE-2021-22005

<b>VMware CVE-2021-22005 CVSS 3.0: 9.8 (Critical)</b>
<p><b><u>Vulnerability Description</u></b>            The vCenter Server contains an arbitrary file upload vulnerability in the Analytics service. A malicious actor with network access to port 443 on vCenter Server may exploit this issue to execute code on vCenter Server by uploading a specially crafted file.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>• Apply Vendor Updates.</li> </ul>
<p><b><u>Detection Methods</u></b>            N/A</p>

TLP:WHITE

<b><u>Vulnerable Technologies and Versions</u></b> VMware Cloud Foundation VMware VCenter Server
--

Table IX: Citrix CVE-2019-19781

<b>Citrix CVE-2019-19781 CVSS 3.0: 9.8 (Critical)</b>
<b><u>Vulnerability Description</u></b> This vulnerability has been modified since it was last analyzed by NVD. It is awaiting reanalysis, which may result in further changes to the information provided. An issue was discovered in Citrix Application Delivery Controller (ADC) and Gateway 10.5, 11.1, 12.0, 12.1, and 13.0. They allow Directory Traversal.
<b><u>Recommended Mitigations</u></b> <ul style="list-style-type: none"> <li>Apply vendor <a href="#">mitigations</a>.</li> <li>Use the CTX269180 - <a href="#">CVE-2019-19781 Verification Tool</a> provided by Citrix.</li> </ul>
<b><u>Detection Methods</u></b> N/A
<b><u>Vulnerable Technologies and Versions</u></b> Citrix ADC, Gateway, and SD-WAN WANOP

Table X: Cisco CVE-2021-1497

<b>Cisco CVE-2021-1497 CVSS 3.0: 9.8 (Critical)</b>
<b><u>Vulnerability Description</u></b> Multiple vulnerabilities in the web-based management interface of Cisco HyperFlex HX could allow an unauthenticated, remote malicious actor to perform a command injection against an affected device. For more information about these vulnerabilities, see the <a href="#">Technical details</a> section of this advisory.
<b><u>Recommended Mitigations</u></b> <ul style="list-style-type: none"> <li>Apply Cisco software updates.</li> </ul>
<b><u>Detection Methods</u></b> <ul style="list-style-type: none"> <li>Look at the Snort <a href="#">Rules</a> provided by Cisco.</li> </ul>
<b><u>Vulnerable Technologies and Versions</u></b> Cisco Hyperflex Hx Data Platform 4.0(2A)

Table XI: Buffalo CVE-2021-20090

<b>Buffalo CVE-2021-20090 CVSS 3.0: 9.8 (Critical)</b>
<b><u>Vulnerability Description</u></b> A path traversal vulnerability in the web interfaces of Buffalo WSR-2533DHPL2 firmware version <= 1.02 and WSR-2533DHP3 firmware version <= 1.24 could allow unauthenticated remote malicious actors to bypass authentication.
<b><u>Recommended Mitigations</u></b> <ul style="list-style-type: none"> <li>Update firmware to latest available version.</li> </ul>
<b><u>Detection Methods</u></b> <ul style="list-style-type: none"> <li>N/A</li> </ul>
<b><u>Vulnerable Technologies and Versions</u></b> Buffalo Wsr-2533Dhpl2-Bk Firmware Buffalo Wsr-2533Dhp3-Bk Firmware

TLP:WHITE

Table XII: Atlassian CVE-2021-26084

Atlassian CVE-2021-26084 CVSS 3.0: 9.8 (Critical)
<p><b><u>Vulnerability Description</u></b>            In affected versions of Confluence Server and Data Center, an OGNL injection vulnerability exists that would allow an unauthenticated malicious actor to execute arbitrary code on a Confluence Server or Data Center instance. The affected versions are before version 6.13.23 and from version 6.14.0 before 7.4.11, version 7.5.0 before 7.11.6, and version 7.12.0 before 7.12.5.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>• Update confluence version to 6.13.23, 7.4.11, 7.11.6, 7.12.5, and 7.13.0.</li> <li>• Avoid using end-of-life devices.</li> <li>• Use Intrusion Detection Systems (IDS).</li> </ul>
<p><b><u>Detection Methods</u></b>            N/A</p>
<p><b><u>Vulnerable Technologies and Versions</u></b>            Atlassian Confluence            Atlassian Confluence Server            Atlassian Data Center            Atlassian Jira Data Center</p>

Table XIII: Hikvision CVE-2021-36260

Hikvision CVE-2021-36260 CVSS 3.0: 9.8 (Critical)
<p><b><u>Vulnerability Description</u></b>  <b>This vulnerability has been modified since it was last analyzed by NVD. It is awaiting reanalysis, which may result in further changes to the information provided.</b> A command injection vulnerability exists in the web server of some Hikvision products. Due to the insufficient input validation, a malicious actor can exploit the vulnerability to launch a command injection by sending some messages with malicious commands.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>• Apply the latest firmware updates.</li> </ul>
<p><b><u>Detection Methods</u></b>            N/A</p>
<p><b><u>Vulnerable Technologies and Versions</u></b>            Various Hikvision Firmware to include Ds, Ids, and Ptz</p>
<p><b><u>References</u></b>  <a href="https://www.cisa.gov/uscert/ncas/current-activity/2021/09/28/rce-vulnerability-hikvision-cameras-cve-2021-36260">https://www.cisa.gov/uscert/ncas/current-activity/2021/09/28/rce-vulnerability-hikvision-cameras-cve-2021-36260</a></p>

Table XIV: Sitecore CVE-2021-42237

Sitecore CVE-2021-42237 CVSS 3.0: 9.8 (Critical)
<p><b><u>Vulnerability Description</u></b>            Sitecore XP 7.5 Initial Release to Sitecore XP 8.2 Update-7 is vulnerable to an insecure deserialization attack where it is possible to achieve remote command execution on the machine. No authentication or special configuration is required to exploit this vulnerability.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>• Update to latest version.</li> <li>• Delete the Report.ashx file from /sitecore/shell/ClientBin/Reporting/Report.ashx.</li> </ul>
<p><b><u>Detection Methods</u></b></p>

TLP:WHITE

<ul style="list-style-type: none"> <li>N/A</li> </ul>
<p><b><u>Vulnerable Technologies and Versions</u></b></p> <p>Sitecore Experience Platform 7.5, 7.5 Update 1, and 7.5 Update 2  Sitecore Experience Platform 8.0, 8.0 Service Pack 1, and 8.0 Update 1-Update 7  Sitecore Experience Platform 8.0 Service Pack 1  Sitecore Experience Platform 8.1, and Update 1-Update 3  Sitecore Experience Platform 8.2, and Update 1-Update 7</p>

Table XV: F5 CVE-2022-1388

<p><b>F5 CVE-2022-1388 CVSS 3.0: 9.8 (Critical)</b></p>
<p><b><u>Vulnerability Description</u></b></p> <p><b>This vulnerability has been modified since it was last analyzed by NVD. It is awaiting reanalysis, which may result in further changes to the information provided.</b> On F5 BIG-IP 16.1.x versions prior to 16.1.2.2, 15.1.x versions prior to 15.1.5.1, 14.1.x versions prior to 14.1.4.6, 13.1.x versions prior to 13.1.5, and all 12.1.x and 11.6.x versions, undisclosed requests may bypass iControl REST authentication. Note: Software versions which have reached End of Technical Support (EoTS) are not evaluated.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>Block iControl REST access through the self IP address.</li> <li>Block iControl REST access through the management interface.</li> <li>Modify the BIG-IP httpd configuration.</li> </ul>
<p><b><u>Detection Methods</u></b></p> <p>N/A</p>
<p><b><u>Vulnerable Technologies and Versions</u></b></p> <p>Big IP versions:  16.1.0-16.1.2  15.1.0-15.1.5  14.1.0-14.1.4  13.1.0-13.1.4  12.1.0-12.1.6  11.6.1-11.6.5</p>

Table XVI: Apache CVE-2022-24112

<p><b>Apache CVE-2022-24112 CVSS 3.0: 9.8 (Critical)</b></p>
<p><b><u>Vulnerability Description</u></b></p> <p>A malicious actor can abuse the batch-requests plugin to send requests to bypass the IP restriction of Admin API. A default configuration of Apache APISIX (with default API key) is vulnerable to remote code execution. When the admin key was changed or the port of Admin API was changed to a port different from the data panel, the impact is lower. But there is still a risk to bypass the IP restriction of Apache APISIX's data panel. There is a check in the batch-requests plugin which overrides the client IP with its real remote IP. But due to a bug in the code, this check can be bypassed.</p>
<p><b><u>Recommended Mitigations</u></b></p> <ul style="list-style-type: none"> <li>In affected versions of Apache APISIX, you can avoid this risk by explicitly commenting out batch-requests in the conf/config.yaml and conf/config-default.yaml files and restarting Apache APISIX.</li> <li>Update to 2.10.4 or 2.12.1.</li> </ul>
<p><b><u>Detection Methods</u></b></p> <p>N/A</p>

TLP:WHITE

TLP:WHITE

**Vulnerable Technologies and Versions**

Apache APISIX between 1.3 and 2.12.1 (excluding 2.12.1)  
LTS versions of Apache APISIX between 2.10.0 and 2.10.4

Table XVII: ZOHO CVE-2021-40539

**ZOHO CVE-2021-40539 CVSS 3.0: 9.8 (Critical)****Vulnerability Description**

Zoho ManageEngine ADSelfService Plus version 6113 and prior is vulnerable to REST API authentication bypass with resultant remote code execution.

**Recommended Mitigations**

- Upgrade to latest version.

**Detection Methods**

- Run ManageEngine's detection tool.
- Check for specific files and [logs](#).

**Vulnerable Technologies and Versions**

Zoho Corp ManageEngine ADSelfService Plus

Table XVIII: Microsoft CVE-2021-26857

**Microsoft CVE-2021-26857 CVSS 3.0: 7.8 (High)****Vulnerability Description**

Microsoft Exchange Server remote code execution vulnerability. This CVE ID differs from CVE-2021-26412, CVE-2021-26854, CVE-2021-26855, CVE-2021-26858, CVE-2021-27065, and CVE-2021-27078.

**Recommended Mitigations**

- Update to support latest version.
- Install Microsoft security patch.
- Use Microsoft Exchange On-Premises Mitigation Tool.

**Detection Methods**

- Run Exchange script: <https://github.com/microsoft/CSS-Exchange/tree/main/Security>.
- Hashes can be found here: <https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/#scan-log>.

**Vulnerable Technologies and Versions**

Microsoft Exchange Servers

Table XIX: Microsoft CVE-2021-26858

**Microsoft CVE-2021-26858 CVSS 3.0: 7.8 (High)****Vulnerability Description**

Microsoft Exchange Server remote code execution vulnerability. This CVE ID differs from CVE-2021-26412, CVE-2021-26854, CVE-2021-26855, CVE-2021-26858, CVE-2021-27065, and CVE-2021-27078.

**Recommended Mitigations**

- Update to support latest version.

TLP:WHITE

TLP:WHITE

<ul style="list-style-type: none"> <li>• Install Microsoft security patch.</li> <li>• Use Microsoft Exchange On-Premises Mitigation Tool.</li> </ul>
<b>Detection Methods</b> <ul style="list-style-type: none"> <li>• Run Exchange script: <a href="https://github.com/microsoft/CSS-Exchange/tree/main/Security">https://github.com/microsoft/CSS-Exchange/tree/main/Security</a>.</li> <li>• Hashes can be found here: <a href="https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/#scan-log">https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/#scan-log</a>.</li> </ul>
<b>Vulnerable Technologies and Versions</b> Microsoft Exchange Servers

Table XX: Microsoft CVE-2021-27065

<b>Microsoft CVE-2021-27065 CVSS 3.0: 7.8 (High)</b>
<b>Vulnerability Description</b> Microsoft Exchange Server remote code execution vulnerability. This CVE ID differs from CVE-2021-26412, CVE-2021-26854, CVE-2021-26855, CVE-2021-26858, CVE-2021-27065, and CVE-2021-27078.
<b>Recommended Mitigations</b> <ul style="list-style-type: none"> <li>• Update to support latest version.</li> <li>• Install Microsoft security patch.</li> <li>• Use Microsoft Exchange On-Premises Mitigation Tool.</li> </ul>
<b>Detection Methods</b> <ul style="list-style-type: none"> <li>• Run Exchange script: <a href="https://github.com/microsoft/CSS-Exchange/tree/main/Security">https://github.com/microsoft/CSS-Exchange/tree/main/Security</a>.</li> <li>• Hashes can be found here: <a href="https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/#scan-log">https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/#scan-log</a>.</li> </ul>
<b>Vulnerable Technologies and Versions</b> Microsoft Exchange Servers
<b>References</b> <a href="https://portal.msrc.microsoft.com/en-US/security-guidance/advisory/CVE-2021-27065">https://portal.msrc.microsoft.com/en-US/security-guidance/advisory/CVE-2021-27065</a>

Table XXI: Apache CVE-2021-41773

<b>Apache CVE-2021-41773 CVSS 3.0: 7.5 (High)</b>
<b>Vulnerability Description</b> <b>This vulnerability has been modified since it was last analyzed by NVD. It is awaiting reanalysis, which may result in further changes to the information provided.</b> A flaw was found in a change made to path normalization in Apache HTTP Server 2.4.49. A malicious actor could use a path traversal attack to map URLs to files outside the directories configured by Alias-like directives. If files outside of these directories are not protected by the usual default configuration "require all denied," these requests can succeed. Enabling CGI scripts for these aliased paths could allow for remote code execution. This issue is known to be exploited in the wild. This issue only affects Apache 2.4.49 and not earlier versions. The fix in Apache HTTP Server 2.4.50 is incomplete (see CVE-2021-42013).
<b>Recommended Mitigations</b> <ul style="list-style-type: none"> <li>• Apply update or patch.</li> </ul>
<b>Detection Methods</b> <ul style="list-style-type: none"> <li>• Commercially available scanners can detect CVE.</li> </ul>
<b>Vulnerable Technologies and Versions</b> Apache HTTP Server 2.4.49 and 2.4.50 Fedora project Fedora 34 and 35 Oracle Instantis Enterprise Track 17.1-17.3 Netapp Cloud Backup

TLP:WHITE

**TLP:WHITE**

**TLP:WHITE**